

BI - METAL & STAINLESS STEEL SELF - DRILLING FASTENERS



BI - METAL
SS316 + SCM435



SK Bi-metal screw is imported from Taiwan and
comply  standard.

SEIKO SCREW

Bi- Metal

Excellent , Corrosion Resistance , Up to 500 Hours.

Superior Drilling Performance
w/head treatment



Feature

Penetration: #3 Point --> 6mm steel plate; #5 Point --> 12.5mm steel plate

Production range: Dia#8 - #14; Length 5/8-10"

Dia#4.2-6.3; Length 16-250mm

HEAD STYLES OF SCREWS



■ PAN



■ OVAL




■ H.W.H




■ Flat Head W/ NIBS

1mm + 3mm



304 Stainless Steel Plate

up to
12.5mm



Steel Plate

Mechanical Property Test

Drilling Point	Size	 Torque kgf-cm	 Tensile strength kgf-cm
No.3	#8 #10 #12 #14	45-52 84-132	/ 810-900
No.5	#12 #14	84-132	920-1050

Coating Of Fastener

	Zinc		Ruspert	
Salt Spray Test	24hrs	72hrs	240 hrs	1000 hrs
Recommend	use in internal application		use in mild moderate industrial or marine environments	

HEAD STYLES OF SCREWS




■ PAN



■ Flat Head W/ NIBS




A



D

C



B



HEAD STYLES OF SCREWS




■ H.W.H



Roofing System



Skylight System



Coastal and high humidity areas

Stainless Steel Screws

Professional Design



SS304




SS316




Material SS **304/316** From Taiwan Factory with **ISO9001**

DRYWALL SCREW Size : #6x1"

★ Drilling Fast And Easy **0.47 Sec - 0.52 Sec**




Iron Plate Plasterboard



Iron Plate Fireproofboard

Size :#6 Length : 3/4" 1" 1-1/4" 1-1/2" 2"

Our Products -- Other



Seiko Screw Metal Manufactory Limited

Flat A-F,22/F,Golden Dragon Ind Centre, Block 4,182-190 Tai Lin Pai Rd,Kwai Chung,N.T.

Tel: (+852) 2489 1880 Fax: (+852) 2420 4166 Email: seiko@seikoscrewmetal.com.hk

Website: www.seikoscrew.com.hk